



landscape • entertainment • architectural • hospitality • illumination

# AL-17 AREA LIGHTS





# AREA LIGHTS AL-17 SERIES



TYPE



## SPECIFICATIONS

**CONSTRUCTION:** Cast aluminum or cast brass China Hat; matching extruded aluminum or brass stanchion

**LAMP SUPPLIED:** 18w S8 #1141; 1200 hours average rating (25w max.)

**LAMP OPTIONS:** We recommend 3w 50,000 hours average rating OMNI-3 LED (-LED3) or OMNI-3 Super Saver (-LED3SS) 10,000 hours average rating 20w Xenon (-X) or 20w Halogen (-H)

**SOCKET:** Single contact bayonet, brass nickel plated lamp socket screw shell (Ba15s); double contact bayonet base (Ba15d) for 120v, both with 200°C silicone lead wires

**WIRING:** Black 3 foot 18/2 zip cord from base of fixture (12v only)

For 25 foot 16/2 fixture lead wire add -25F to catalog number.

120v Standard wiring

**CONNECTION:** FA-05 Quick Connector (not supplied) from fixture to main cable (12/2, 10/2 or 8/2 only) 12v only

**MOUNTING:** FA-03 black 9" ABS stake, tapped 1/2" NPS


**FINISH:** Aluminum-Black texture polyester powder coat. Optional finishes available. Brass-Unfinished brass. Optional finishes available.

## ORDERING INFORMATION

CATALOG NO.	DESCRIPTION	LAMP	SHIP WEIGHT
AL-17-BLT	Cast Aluminum 8" China Hat	18w S8 #1141	3.0 lbs.
AL-17-BRS	Cast Brass 8" China Hat	18w S8 #1141	6.0 lbs.
AL-17-SM-BLT	Cast Aluminum 5.5" China Hat	18w S8 #1141	2.0 lbs.
AL-17-SM-BRS	Cast Brass 5.5" China Hat	18w S8 #1141	4.0 lbs.
AL-17-SM2-BLT	Cast Aluminum 5.5" China Hat	18w S8 #1141	2.0 lbs.
AL-17-SM2-BRS	Cast Brass 5.5" China Hat	18w S8 #1141	4.0 lbs.



## MOUNTING ACCESSORIES



## JOB INFORMATION

Type: \_\_\_\_\_ Date: \_\_\_\_\_

Job Name: \_\_\_\_\_

Cat. No.: \_\_\_\_\_

Lamp(s): \_\_\_\_\_

Specifier: \_\_\_\_\_

Contractor: \_\_\_\_\_

Notes: \_\_\_\_\_

FOCUS INDUSTRIES INC.  
25301 COMMERCENTRE DRIVE  
LAKE FOREST, CA 92630

www.focusindustries.com  
sales@focusindustries.com  
(949) 830-1350 • FAX (949) 830-3390

Black Texture (Standard)	Antique Verde	Bronze Texture	Camel	White Texture	Hunter Texture	Rust	Weathered Iron	Weathered Brown	Stucco	Rubbed Verde	Chrome Powder	Acid Rust	Acid Verde	Black Acid Treatment
-BLT	-ATV	-BRT	-CAM	-WTX	-HTX	-RST	-WIR	-WBR	-STU	-RBV	-CPR	-BAR/CAR	-BAV/CAV	-BAT



# AREA LIGHTS AL-17 SERIES




TYPE




## BEAM/GLARE CONTROL ACCESSORIES

FA-97-17	AL-17-AH Sprinkler Guard / Glare Shield
FA-97-17SM	AL-17-SMAH Sprinkler Guard / Glare Shield
FA-97-17SM2	AL-17-SM2AH Sprinkler Guard / Glare Shield
-AH	Add to catalog # for Adjustable Hub


## LIGHT DISTRIBUTIONS AND PHOTOMETRICS



**AL-17-AH**  
Half Spread Photometrics  
32 ft. (9.6m) diameter



**AL-17-SMAH**  
Half Spread Photometrics  
30 ft. (9m) diameter



**AL-17-SM2AH**  
Half Spread Photometrics  
30 ft. (9m) diameter

Black Texture (Standard)	Antique Verde	Bronze Texture	Camel	White Texture	Hunter Texture	Rust	Weathered Iron	Weathered Brown	Stucco	Rubbed Verde	Chrome Powder	Acid Rust	Acid Verde	Black Acid Treatment
-BLT	-ATV	-BRT	-CAM	-WTX	-HTX	-RST	-WIR	-WBR	-STU	-RBV	-CPR	-BAR/CAR	-BAV/CAV	-BAT